

Report of investigation



Phalaenopsis Floricultura: 8090-02
Test number: 653
Grower: Floricultura BV
Administration number: 065889
Variety: Phalaenopsis 214664
Product code: 112897

Description: 8090 Phalaenopsis veredelaars, bij 50% uitbloei

Start date: 24-10-2023

Method of investigation

We submitted the investigated flowers to a sales simulation, according to the conditions mentioned in the appendix. In the consumer phase we evaluated the stems three times a week. The evaluation criteria are based on the evaluation card for the specific product (www.vbn.nl). When the ornamental value is insufficient we consider vase life as ended. With these data the average vase life has been calculated. The average vase life expresses the number of days that the flowers have good ornamental value for the consumer. So transport and store phase are excluded.

Results

Number of stems/vase: 0

Number of vases: 3

Land of origin: Netherlands

Average longevity	147.0
Total number of rejected stems on foliage	0
Standard deviation	0.0
Percentage reached at day 56	100 %
Main rejection criteria	end of flowering
number of rejected buds	4.0
number of buds	1.0
number of stems	3.0
Root decay	0.0
Black heart	0.0
Ornamental value foliage	4.3
number of good Flowers	21.7
number of flowers that have ended flowering	0.3

Rejection criteria	Number
end of flowering	2

Plants are rejected at X number of good flower and buds:

plant 1: 19

plant 2: 20

plant 3: 19

Linda van Leeuwen

T +31 (0)174-63 4058

F

lindavanleeuwen@royalfloraholland.com

Date: 28-6-2024



The quality management system of the Postharvest Knowledge Centre is ISO 9001:2015 certified.



653. Consumer simulation day number 0



653. Consumer simulation day number 35



653. Consumer simulation day number 70



653. Consumer simulation day number 77



653. Consumer simulation day number 84



653. Consumer simulation day number 91



653. Consumer simulation day number 98



653. Consumer simulation day number 105



653. Consumer simulation day number 112



653. Consumer simulation day number 119



653. Consumer simulation day number 126



653. Consumer simulation day number 133



653. Consumer simulation day number 140



653. Consumer simulation day number 147

Appendix

Conditions Transport simulation

Duration (days)	7
Packaging	tray, sleeve
Temperature	15°C ± 1°C
Relative humidity	75 ± 10%
Light level	0 lux
Light colour	n.a
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,05 ppm
Water supply	none

Conditions Store simulation

Duration (days)	6
Packaging	tray, sleeve
Temperature	20°C ± 1°C
Relative humidity	60 ± 10%
Light level	± 1000 lux
Light colour	840
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,05 ppm
Water supply	if necessary

Conditions Consumer simulation

Duration (days)	70
Packaging	-
Temperature	20°C ± 1°C
Relative humidity	60 ± 10%
Light level	± 1000 lux
Light colour	840
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,05 ppm
Water supply	if needed

Key to symbols

Kind of observation: Ornamental value foliage

5	excellent, product without defects, 0% affected
4	good, product with minor quality criticism 0-5% affected
3	satisfactory, product is still suitable for sale, 5-15% affected
2	moderate, product is not suitable for sale, 15-25% affected
1	poor, product which a consumer will discard, >25% affected