Report of investigation



Phalaenopsis Floricultura: 8090-02 Test number: 413 Grower: Floricultura Administration number: 065889 Variety: Phalaenopsis 265385 Product code: 112897

Description: 8090 Phalaenopsis veredelaars, bij 50% uitbloei

Start date: 04-01-2021

Method of investigation

We submitted the investigated flowers to a sales simulation, according to the conditions mentioned in the appendix. In the consumer phase we evaluated the stems three times a week. The evaluation criteria are based on the evaluation card for the specific product (www.vbn.nl). When the ornamental value is insufficient we consider vase life as ended. With these data the average vase life has been calculated. The average vase life expresses the number of days that the flowers have good ornamental value for the consumer. So transport and store phase are excluded.

<u>Results</u>

Number of stems/vase:	0
Number of vases:	3
Land of origin:	Netherlands

Average longevity	140.0
Total number of rejected stems on foliage	0
Standard deviation	0.0
Percentage reached at day 56	100 %
Main rejection criteria	end of flowering
number of rejected buds	3.0
number of buds	3.7
number of stems	3.3
Ornamental value foliage	4.0
number of good Flowers	23.3
number of flowers that have ended flowering	g 0.0

Rejection criteria	Number
end of flowering	2

Planten worden afgeschreven bij x aantal bloemen en knoppen: plant 1: 25 plant 2: 24 plant 3: 26

Linda van Leeuwen T +31 (0)174-63 4058 F lindavanleeuwen@royalfloraholland.com

Date: 31-07-2023



MPS-ECAS CERTIFIES The quality management system of the Postharvest Knowledge Centre is ISO 9001 9001:2015 certified.



413. Consumer simulation day number 0



413. Consumer simulation day number 35



413. Consumer simulation day number 70



413. Consumer simulation day number 77



413. Consumer simulation day number 84



413. Consumer simulation day number 91



413. Consumer simulation day number $\overline{98}$



413. Consumer simulation day number 105



413. Consumer simulation day number 112



413. Consumer simulation day number 119



413. Consumer simulation day number 126



413. Consumer simulation day number 133



413. Consumer simulation day number 140



413. Consumer simulation day number 140

Appendix

Conditions Transport simulation

Water supply none	Duration (days) Packaging Temperature Relative humidity Light level Light colour Air refreshment Air speed	7 tray, sleeve $15^{\circ}C \pm 1^{\circ}C$ 75 ± 10% 0 lux n.a every 2 hours < 0,5 m/s
Water supply none	Ethylene concentration	< 0,5 m/s
	Water supply	none

Conditions Store simulation

Duration (days)	7
Packaging	tray, sleeve
Temperature	20°C ± 1°C
Relative humidity	60 ± 10%
Light level	± 1000 lux
Light colour	840
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,1 ppm
Water supply	if necessary

Conditions Consumer simulation

Packaging-Temperature $20^{\circ}C \pm 1^{\circ}C$ Relative humidity $60 \pm 10\%$ Light level ± 1000 luxLight colour 840 Air refreshmentevery 2 hoursAir speed< 0,5 m/sEthylene concentration < 0,1 ppmWater supplyif needed	Duration (days)	140
Relative humidity $60 \pm 10\%$ Light level ± 1000 luxLight colour 840 Air refreshmentevery 2 hoursAir speed< 0,5 m/s	Packaging	-
Light level± 1000 luxLight colour840Air refreshmentevery 2 hoursAir speed< 0,5 m/s	Temperature	20°C ± 1°C
Light colour840Air refreshmentevery 2 hoursAir speed< 0,5 m/s	Relative humidity	60 ± 10%
Air refreshmentevery 2 hoursAir speed< 0,5 m/s	Light level	± 1000 lux
Air speed< 0,5 m/sEthylene concentration < 0,1 ppm	Light colour	840
Ethylene concentration < 0,1 ppm	Air refreshment	every 2 hours
,	Air speed	< 0,5 m/s
Water supply if needed	Ethylene concentration	i < 0,1 ppm
	Water supply	if needed

Key to symbols

Kind of observation: Ornamental value foliage

- 5 excellent, product without defects, 0% affected
 4 good, product with minor quality critism 0-5% affected
 3 satisfactory, product is still suitable for sale, 5-15% affected
 2 moderate, product is not suitable for sale, 15-25% affected
- 1 poor, product which a consumer will discard, >25% affected