# **Report of investigation**



Phalaenopsis Floricultura: 8090-02 Test number: 588 Grower: Floricultura Administration number: 065889 Variety: Phalaenopsis 335640 Product code: 112897

Description: 8090 Phalaenopsis veredelaars, bij 50% uitbloei

Start date: 10-01-2023

### Method of investigation

We submitted the investigated flowers to a sales simulation , according to the conditions mentioned in the appendix. In the consumer phase we evaluated the stems three times a week. The evaluation criteria are based on the evaluation card for the specific product (<u>www.vbn.nl</u>). When the ornamental value is insufficient we consider vase life as ended. With these data the average vase life has been calculated. The average vase life expresses the number of days that the flowers have good ornamental value for the consumer. So transport and store phase are excluded.

#### **Results**

Number of stems/vase:	0
Number of vases:	3
Land of origin:	Netherlands

Average longevity	98,0
Total number of rejected stems on foliage	0
Standard deviation	0,0
Percentage reached at day 56	100 %
Main rejection criteria	end of flowering
Ornamental value foliage	3,7
number of good Flowers	26,9
number of buds	4,1
number of rejected buds	6,0
number of flowers that have ended flowering	g 1,0
number of stems	2,0
Root decay	0,0

# **Rejection criteria Number**

Plants are rejected at X number of good flower and buds:

plant 1: 21

plant 2: 20

plant 3: 21

Linda van Leeuwen T +31 (0)174-63 4058 F lindavanleeuwen@royalfloraholland.com

Date: 05-05-2023



MPS-ECAS (SO 9001 ISO 9001:2015 certified.



588. Consumer simulation day number 0



588. Consumer simulation day number 35



588. Consumer simulation day number 70



588. Consumer simulation day number 77



588. Consumer simulation day number 84



588. Consumer simulation day number 91



588. Consumer simulation day number 98

# Appendix

## **Conditions Transport simulation**

Duration (days)	7
Packaging	tray, sleeve
Temperature	15ºC ± 1ºC
Relative humidity	75 ± 10%
Light level	0 lux
Light colour	n.a
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,1 ppm
Water supply	none

### **Conditions Store simulation**

6
tray, sleeve
20ºC ± 1ºC
60 ± 10%
± 1000 lux
840
every 2 hours
< 0,5 m/s
< 0,1 ppm
if necessary

# Conditions Consumer simulation

Duration (days)	98
Packaging	-
Temperature	20°C ± 1°C
Relative humidity	60 ± 10%
Light level	± 1000 lux
Light colour	840
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,1 ppm
Water supply	if needed

# Key to symbols

Kind of observation: Ornamental value foliage

5	excellent, product without defects, 0% affected
4	good, product with minor quality critism 0-5% affected
3	satisfactory, product is still suitable for sale, 5-15% affected
2	moderate, product is not suitable for sale, 15-25% affected
1	poor, product which a consumer will discard, >25% affected